



by Johnson Safety Inc.



# ***MOBILE MULTI-MEDIA ENTERTAINMENT SYSTEMS***

***2003 Summer***

## 10.4" SURFACE MOUNT UNIT



## High Resolution TFT-LCD NEW DIMENSIONS IN MOBILE

The advanced technological features of the new Myron & Davis Car TV takes mobile entertainment to new heights. High resolution screens and simplified wiring harnesses guarantee superior video quality and smooth installation. The 8.0", 7.0" and 6.8" ceiling mount monitors feature a unique 45° rotation for comfortable viewing from all angles (Patent pending). The 180° flip away function, standard on the 10.4", 8.0", 7.0" and 6.8", is a new and innovative safety feature. Built-in automatic power off switch eliminates worries about dead car batteries.

## 180° FLIP AWAY SCREEN



Myron & Davis's new line of headrests and TV combinations have a number of new features that are not available elsewhere. Instead of cutting apart your factory headrest, the new 7.0" and 8.0" 16:9 wide screen TV are housed in a factory color matched leather headrest. For extra safety, in case of accidents, these headrests have a double layer of metal inside the headrest as well as solid



DOME LIGHT  
6.8", 7.0" & 8.0" ONLY



UNIFIED WIRELESS  
REMOTE CONTROL




AUXILIARY GAME PORT

8.0", 7.0" WIDE SCREEN,  
6.8" FLIP DOWN UNIT

# *solution* D CAR TV

## AUDIO VIDEO ENTERTAINMENT

metal bars for the posts. It features two video input jacks that allow for easy connection of video games and DVD's. The built-in 2-channel IR wireless headphone transmitter and a user selectable 3-channel FM modulator with on/off switch will permit two different inputs to be used simultaneously on two different TV screens. A 30° adjustable screen and a 50° headrest tilt position allows for optimal viewing positions. The built-in IR wireless headphone transmitter accommodates a number of wireless headsets. The superior quality of products, unmatched versatility and extra convenience of Myron & Davis makes for the best choice of mobile entertainment pleasures.



EXTRA IR SENSOR INPUT FOR DVD OR TV TUNER

AVAILABLE IN 6", 7" AND 8" WIDE SCREEN

USER SELECTABLE 3-CHANNEL FM MODULATOR WITH ON/OFF SWITCH ON FRONT PANEL

16 DIFFERENT SIZE METAL POSTS



45° ROTATING SCREEN  
6.8", 7.0" & 8.0" ONLY



WIRELESS FM MODULATOR



IR WIRELESS HEADPHONE & TRANSMITTER  
6.8", 7.0", 8.0" & 10.4" SURFACE MOUNT ONLY



## AXV-060-STD 6.0" TFT/LCD STAND ALONE MONITOR

- 6.0" Active Matrix Display 4:3 Ratio
- Resolution: 960 X 234
- 2 Composite Video Inputs 1 Vp-p 75 Ohm
- Viewing Angle: Left/Right: 45°, Top: 30°, Down: 10°
- NTSC Operating System
- Power On/Off Switch
- Brightness and Color Adjustment Control Buttons
- Universal Mounting Bracket
- Monitor Dimensions: 7.25" X 5.1" X 1.5"



## AXV-070-STD 7.0" TFT/LCD STAND ALONE MONITOR

- 7.0" Active Matrix Display 16:9 Wide Screen Ratio
- Resolution: 1440 X 234
- 2 Composite Video Inputs
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Universal Mounting Bracket
- Dimensions: 7.1" X 5.1" X 1.3"



## AXV-080-STD 8.0" TFT/LCD STAND ALONE MONITOR

- 8.0" Active Matrix Display 16:9 Wide Screen Ratio
- Resolution: 1440 X 234
- 2 Composite Video Inputs
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Universal Mounting Bracket
- Dimensions: 7.8" X 5.6" X 1.3"



## HRB-060-COL (pass) (with headrest) HLB-060-COL (driver) AXV-060-HRB (pass) (without headrest) AXV-060-HLB (driver) 6.0" TFT/LCD HEADREST MOUNT MONITOR

- 6.0" Active Matrix Display 4:3 Ratio
- Resolution: 960 X 234
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- User Select 3-Channel Wireless FM Modulator ON/OFF Switch on Front Panel
- 2 Composite Video Inputs 1 Vp-p 75 Ohm
- Viewing Angle: Left/Right: 45°, Top: 30°, Down: 10°
- NTSC Operating System
- Power On/Off Switch
- Brightness and Color Adjustment Control Buttons
- Headrest Shroud (8.9" X 5.7" X 1.3")
- Universal Mounting Bracket
- Monitor Dimensions: 7.25" X 5.1" X 1.5"



## HRB-070-COL (pass) (with headrest) HLB-070-COL (driver) AXV-070-HRB (pass) (without headrest) AXV-070-HLB (driver) 7.0" TFT/LCD HEADREST MOUNT MONITOR

- 7.0" Active Matrix Display 16:9 Wide Screen Ratio
- Resolution: 1440 X 234
- 2 Composite Video Inputs
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- User Select 3-Channel Wireless FM Modulator ON/OFF Switch on Front Panel
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- 30° Pivot Adjustment for Multiple Viewing Angles
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Dimensions: 8.9" X 5.7" X 1.3"



## HRB-080-COL (pass) (with headrest) HLB-080-COL (driver) AXV-080-HRB (pass) (without headrest) AXV-080-HLB (driver) 8.0" TFT/LCD HEADREST MOUNT MONITOR

- 8.0" Active Matrix Display 16:9 Wide Screen Ratio
- Resolution: 1440 X 234
- 2 Composite Video Inputs
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- User Select 3-Channel Wireless FM Modulator ON/OFF Switch on Front Panel
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- 30° Pivot Adjustment for Multiple Viewing Angles
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Dimensions: 9.5" X 6.3" X 1.3"

## AXV-068-FB

### 6.8" FLIP DOWN TFT/LCD MONITOR / SURFACE MOUNT

- 6.8" Active Matrix Display 4:3 Ratio
- Universal Overhead Mounting with Dome Light
- 180° Flip Back Screen
- 45° Rotating Screen
- Resolution: 1152 X 234
- 1 Composite Video Input
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Dimensions: 12.0" X 8.9" X 1.6"
- optional universal mounting bracket BKT-070



## AXV-070-FB

### 7.0" FLIP DOWN TFT/LCD MONITOR / SURFACE MOUNT

- 7.0" Active Matrix Display 16:9 Wide Screen Ratio
- Universal Overhead Mounting with Dome Light
- 180° Flip Back Screen
- 45° Rotating Screen
- Resolution: 1440 X 234
- 2 Composite Video Inputs
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Dimensions: 12.0" X 8.9" X 1.6"
- optional universal mounting bracket BKT-070



## AXV-080-FB

### 8.0" FLIP DOWN TFT/LCD MONITOR / SURFACE MOUNT

- 8.0" Active Matrix Display 16:9 Wide Screen Ratio
- Universal Overhead Mounting with Dome Light
- 180° Flip Back Screen
- 45° Rotating Screen
- Resolution: 1440 X 234
- 2 Composite Video Inputs
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- Viewing Angle: Left/Right: 65°, Top: 40°, Down: 65°
- Brightness Rating: 300 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- Wireless Remote Control
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- optional universal mounting bracket BKT-070



## AXV-104-FB

### 10.4" FLIP DOWN TFT/LCD MONITOR / SURFACE MOUNT

- 10.4" Active Matrix Display 4:3 Ratio
- Surface Mount Universal Overhead Mounting
- 180° Flip Back Screen
- Resolution: 640 X 480
- 2 Video Inputs: Composite & S-Video Inputs
- Built-in Wireless IR Headphone Transmitter with Stereo Input (2.3MHz/2.8MHz)
- Viewing Angle: Left/Right: 45°, Top: 30°, Down: 20°
- Brightness Rating: 200 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Dimensions: 11.9" X 11.4" X 2.1"
- optional universal mounting bracket BKT-104



## AXV-104-FD

### 10.4" FLIP DOWN TFT/LCD MONITOR / FLUSH MOUNT

- 10.4" Active Matrix Display 4:3 Ratio
- Flush Mount Universal Overhead Mounting
- Resolution: 640 X 480
- 2 Video Inputs: Composite & S-Video Inputs
- Viewing Angle: Left/Right: 45°, Top: 30°, Down: 20°
- Brightness Rating: 200 cd/m2 (NIT)
- NTSC / PAL Auto Switching
- OSD On Screen Display
- Auto Shut Off Feature
- IR Sensor Input for DVD Player
- Power On/Off Switch
- Full Menu Control Buttons
- Dimensions: 13.9" X 12.2" X 2.0"
- optional universal mounting bracket BKT-104



## AD-163 MOBILE MULTI-MEDIA DISC PLAYER AD-183 MOBILE MULTI-MEDIA DISC PLAYER WITH TV TUNER

- DVD, VCD, SVCD, CD-R, CD-RW, MP3 Compatible
- Last Scene Memory
- On Screen Display Menu
- Dolby Coaxial Digital Output Jack
- Full Function Wireless Remote Control
- Volume Control
- Zoom Feature
- Slow Play Back
- 4 Speed Scan
- Step Play / Program Play
- Frame By Frame / Slow Motion
- A/V RCA Input For Video Games / Camcorders
- Multiple Language Menu / Subtitles
- Fast Forward / Reverse
- Remote Sensor Eye with 18-Foot Wire
- Multi Angle
- NTSC/PAL Compatible
- Mechanical / Electronic / Memory Anti Shock
- Dimensions: 6.6" X 2.5" X 8.75" (AD-163)
- Dimensions: 6.6" X 2.5" X 9.25" (AD-183)

**New**



## AD-233 MOBILE MULTI-MEDIA DISC PLAYER

- DVD, VCD, SVCD, CD-R, CD-RW, MP3 Compatible
- Last Scene Memory
- On Screen Display Menu
- Jumbo Size VFD Display
- Dolby Coaxial Digital Output Jack
- Full Function Wireless Remote Control
- Volume Control
- Slow Play Back
- 4 Speed Scan
- 4X Zoom Feature
- Step Play / Program Play
- Frame By Frame / Slow Motion
- A/V RCA Input For Video Games / Camcorders
- Multiple Language Menu / Subtitles
- 4X Fast Forward / Reverse
- Remote Sensor Eye with 18-Foot Wire
- Multi Angle
- NTSC / PAL Compatible
- Dimensions: 7.0" X 2.0" X 8.25"



## AD-255 MOBILE CENTER CONSOLE / FLOOR MOUNT MULTI-MEDIA DISC PLAYER AD255T MOBILE CENTER CONSOLE / FLOOR MOUNT MULTI-MEDIA DISC PLAYER WITH TV TUNER

- Vertical / Horizontal Mount Capability
- Slot Type Disc Feeder
- DVD, VCD, SVCD, CD-R, CD-RW, MP3 Playback
- Last Scene Memory
- OSD On Screen Display
- Dobby Coaxial Digital Output Jack
- Full Function Wireless Remote Control
- Multiple Subtitle
- Slow Play Back
- 4 Speed Scan
- 4X Zoom Feature
- Step Play / Program Play
- Frame By Frame / Slow Motion
- Space Saving - Side Molex Connector
- A/V RCA Input For Video Game / Camcorder
- 4X Fast Forward / Reverse
- 18 Foot Wire Remote Sensor Eye
- Multi Angle
- A/V RCA

**New**



## AV-VCR 4-HEAD HI-FI STEREO VCR

- 4-Head Hi-Fi Stereo Video Cassette Recorder
- 1 Audio/Video Input
- Digital Auto Tracking
- Built-in HQ Video Circuitry
- Frame Advance and Slow Motion
- DLC (Diamond Like Carbon) Head Reduces Head Wear and Increases Durability
- Infrared Remote Control
- OSD (On Screen Display)
- Dimensions: 10.5" X 3.6" X 10.5"



## AD-263

### MOBILE MULTI-MEDIA DISC PLAYER

- DVD, VCD, SVCD, CD-R, CD-RW, MP3 Compatible
- Slot Type Disc Feeder
- Last Scene Memory
- On Screen Display Menu
- Dolby Coaxial Digital Output Jack
- Full Function Wireless Remote Control
- Volume Control
- Slow Play Back
- 4 Speed Scan
- Zoom Feature
- Step Play / Program Play
- Frame By Frame / Slow Motion
- A/V RCA Input For Video Games / Camcorders
- Multiple Language Menu / Subtitles
- Fast Forward / Reverse
- Remote Sensor Eye with 18-Foot Wire
- Multi Angle
- NTSC / PAL Compatible
- Mechanical / Electronic / Memory Anti Shock
- Dimensions: 6.6" X 2.25" X 8.75"

**New**



## AD-270

### DIN SIZE IN-DASH MOBILE MULTI-MEDIA DISC PLAYER VERTICAL / HORIZONTAL MOUNT

- DVD, VCD, SVCD, CD-R, CD-RW, MP3 Compatible
- Slot Type Disc Feeder
- On Screen Display Menu
- Dolby Coaxial Digital Output Jack
- Full Function Wireless Remote Control
- Volume Control
- Slow Play Back
- 4 Speed Scan
- Zoom Feature
- Step Play / Program Play
- Frame By Frame / Slow Motion
- A/V RCA Input For Video Games / Camcorders
- Multiple Language Menu / Subtitles
- Fast Forward / Reverse
- Remote Sensor Eye with 18-Foot Wire
- Multi Angle
- NTSC / PAL Compatible
- Mechanical / Four Seconds Memory Anti Shock
- Dimensions: 7.0" X 2.0" X 6.8"



## AD-370A

### DIN SIZE IN-DASH MOBILE MULTI-MEDIA DISC PLAYER/RECEIVER

- DVD, VCD, SVCD, CD-R, CD-RW, MP3 Compatible
- AM/FM Receiver with 15 AM / 15 FM Preset Stations
- Last Scene Memory
- 40W X 4 Built-In Amplifier
- Fold Down Front Panel
- Electronic Vol/Bal/Bass/Treble/Fader/Mute
- Slot Type Disc Feeder
- On Screen Display Menu
- Dolby Pro Logic Surround Sound / DTS Ready
- Full Function Wireless Remote Control
- Volume Control
- Slow Play Back
- 4 Speed Scan
- Zoom Feature
- Step Play / Program Play
- Frame By Frame / Slow Motion
- Multiple Language Menu / Subtitles
- Fast Forward / Reverse
- Auto Travel Preset
- Remote Sensor Eye with 18-Foot Wire
- Multi Angle
- NTSC/PAL Compatible
- Mechanical/Four Seconds Memory Anti Shock
- Dimensions: 7.0" X 2.0" X 6.7"



## AMT-202

### TV TUNER/AUDIO/VIDEO CONTROLLER/FM MODULATOR

- TV Tuner (Channel 2 - 69)
- Small Hide Away Mounting
- 3 Audio/Video Inputs
- 1 Remote Game Port Mount
- 3 Video Outputs / 1 Audio Output
- 1 Remote IR Sensor Input (DVD/Monitor)
- Full Function Wireless Remote Control
- Built-In FM Modulator with Adjustable Frequencies (88MHz - 92MHz) ON/OFF
- Dimensions: 7.5" X 5.3" X 1.2"
- ANT-101 Antenna Sold Separately



## 8-WAY MOTORIZED ALL IN ONE SYSTEM

New



### ADM-79T

7" MOTORIZED DIN SIZE IN-DASH WIDE SCREEN TFT LCD MONITOR WITH DVD/AM/FM/TV TUNER

- 7.0" Active Matrix Display 16:9 Wide Screen Ratio
- Motorized Screen In/Out/Up/Down/Left/Right
- Resolution: 1440 X 234
- Last Scene Memory
- Viewing Angle: 65° up, 40° down, 65° Left/Right
- Video System: NTSC / PAL
- DVD/VCD/CD/MP3
- AM/FM/TV Receiver Built-In
- Auto Dimmer
- Remote Control
- Max. Output Power: 55W X 4
- 2 Audio/Video Inputs
- 1 Audio/Video Output
- 1 Front Audio Pre-out
- 1 Rear Audio Pre-out
- 1 Non Fading Audio Pre-out
- Monitor Dimensions: 7.0" X 6.5" X 2.0"
- Center Channel Speaker included
- Powered Amplifier Dimensions: 10.5" X 5.9" X 1.5"

### ADM-79

7" MOTORIZED DIN SIZE IN-DASH WIDE SCREEN TFT LCD MONITOR WITH DVD PLAYER

- 7.0" Active Matrix Display 16:9 Wide Screen Ratio
- Motorized Screen In/Out/Up/Down/Left/Right
- Resolution: 1440 X 234
- Last Scene Memory
- Viewing Angle: 65° up, 40° down, 65° Left/Right
- Video System: NTSC / PAL
- DVD/VCD/CD/MP3
- Auto Dimmer
- Remote Control
- 2 Audio/Video Inputs
- 1 Audio/Video Output
- Center Channel Speaker included
- Monitor Dimensions: 7.0" X 6.5" X 2.0"

**ACC-SBB-00BPT: PEWTER**  
**ACC-SBB-00BSH: SHALE**

suburban/tahoe/yukon for  
 AXV-068-FB , AXV-070-FB &  
 AXV-080-FB  
 ■ fits model years 2000 & up



**ACC-ECS-00AMG: MEDIUM GRAY**  
**ACC-ECS-00AP: TAN**

excursion for  
 AXV-104-FB  
 ■ fits model years 2000 & up



**ACC-SBB-00APT: PEWTER**  
**ACC-SBB-00ASH: SHALE**

suburban/tahoe/yukon for  
 AXV-104-FB  
 ■ fits model years 2000 & up



**ACC-CRN-01BA: Alabaster**

caravan/voyager  
 AXV-068-FB, AXV-070-FB &  
 AXV-080-FB  
 ■ fits model years 1998 & up



**ACC-EPD-00BMG: MEDIUM GRAY**  
**ACC-EPD-00BP: PRAIRIE TAN**

expedition for  
 AXV-068-FB, AXV-070-FB &  
 AXV-080-FB  
 ■ fits model years 1998 & up



**ACC-UNI-68BLK**

for AXV-068-FB , AXV-070-FB &  
 AXV-080-FB  
 ■ universal/black



**ACC-EPD-00AMG: MEDIUM GRAY**  
**ACC-EPD-00AP: PRAIRIE TAN**

expedition for  
 AXV-104-FB  
 ■ fits model years 1998 & up



**ACC-UNI-104BLK**

for AXV-104-FB  
 ■ universal/black



**ACC-ECS-00BMG: MEDIUM GRAY**  
**ACC-ECS-00BP: TAN**

excursion for  
 AXV-068-FB , AXV-070-FB &  
 AXV-080-FB  
 ■ fits model years 2000 & up



(custom overhead consoles not shown)

**ACC-CRN-01A**  
 ■ caravan/voyager/alabaster  
 ■ fits model years 1998 & up  
 ■ for AXV-104FB

**ACC-VEN-00BPT**  
 ■ Chev. venture/pewter  
 ■ fits model years 2000 & up  
 ■ for AXV-068FB, AXV-070FB &  
 AXV-080FB

**ACC-VEN-00BSH**  
 ■ Chev. venture/shale  
 ■ fits model years 2000 & up  
 ■ for AXV-068FB, AXV-070FB &  
 AXV-080FB

**ACC-VEN-00APT**  
 ■ Chev. venture/pewter  
 ■ fits model years 2000 & up  
 ■ for AXV-104FB

**ACC-VEN-00ASH**  
 ■ Chev. venture/shale  
 ■ fits model years 2000 & up  
 ■ for AXV-104FB

## AGP-1

### Auxiliary Game Port

- Designed for use with Nintendo Gamecube, Sony Playstation I/II and Sega Dreamcast system.



## AGP-65

### 65 Watts DC to AC Inverter Game Plate

- Designed for use with Nintendo Gamecube, Sony Playstation I/II and Sega Dreamcast system.
- AC-110 Volt Receptacle
- ON/OFF Switch With Power Indicator Light
- Color Coded Audio/Video RCA Jacks



## AGP-170

### 170 Watts DC to AC Inverter Game Plate

- Designed for use with Xbox, Nintendo Gamecube, Sony Playstation I/II and Sega Dreamcast system.
- AC-110 Volt Receptacle
- ON/OFF Switch With Power Indicator Light
- Color Coded Audio/Video RCA Jacks



## AWT-28

### Single Channel IR Transmitter (2.3MHz/2.8MHz)

- Auto Power Off



## AWT-28T2

### Dual Channel IR Transmitter (2.3MHz/2.8MHz), (3.2MHz/3.8MHz)

- Auto Power Off



## AMP-4

### Video Distribution Amplifier


- 1 Video Input, 4 Video Outputs
- 4 Separate Gain Adjustments
- Power ON LED Indicator
- Easy 2-Wire Connection
- Perfect For Installing Multiple Monitors



## ANT-108

### Universal Wireless FM Modulator


- 4 Selectable Channels with LED Indicators
- 88.7MHz, 89.7MHz, 90.5MHz, 91.5MHz
- ON/OFF/Select Switch



## ANT-109

### Wireless FM Modulator Module


- for AXV-060-HRM, AXV-070-HRM and AXV-080-HRM
- 3 Selectable Channels with LED Indicators
- 88.7MHz, 89.7MHz, 91.5MHz
- ON/OFF/Select Switch On Panel



## ADK-1

### Dual-Source Kit

- Wireless FM Modulator
- 4 LED IR Transmitter
- 3.2MHz / 3.8MHz



## ANT-105


### Universal Monitor Stand



## WHT-001

### 8 LED IR Transmitter

- Replacement for ATV-104-FB & ATV-104-FD



## WHT-002

### 4 LED IR Transmitter

- Replacement for AXV-060-HRM, AXV-070-HRM & AXV-080-HRM
- 2.3MHz / 2.8MHz



## WHT-003

### 4 LED IR Transmitter

- Replacement for AXV-060-HRM, AXV-070-HRM & AXV-080-HRM
- 3.2MHz / 3.8MHz

## AMD-350

### Single Channel IR Wireless Headphones (2.3MHz/2.8MHz)

- Designed for Extended Wear with Comfort in Mind
- Provides comfort and Privacy for others
- Carrying Pouch Included
- ON/OFF Switch
- Volume Control



## AMD-362

### Dual Channel IR Wireless Headphones (2.3MHz/2.8MHz), (3.2MHz/3.8MHz)

- Designed for Extended Wear with Comfort in Mind
- Provides comfort and Privacy for others
- A/B Channel Switch
- Carrying Pouch Included
- ON/OFF Switch
- Volume Control



## AMD-300

### 49MHz Wireless Headphones with Variable Tuning Frequencies

- Compact Size
- Auto ON/OFF Switch
- Volume Control
- Work with WHT-005, 49MHz Wireless Transmitter



## WHT-005

### 49MHz Wireless Transmitter

- 1 Audio Input
- 3 Selectable Bands
- Work with AMD-300, 49MHz Wireless Headphones



## AMT-403 New

### Wireless Audio/Video Controller


- 4 AV Inputs & 3 AV Outputs
- Outputs are Independently Selectable Via Wireless Remote
- 16' Remote Sensor Adapter or Direct Plug in to all Myron & Davis Monitors
- IR Wireless Remote Control
- Four 12V Trigger Outputs
- Hi-Lo Video Impedance Level Selector
- Dimensions: 9.5" x 5.7" x 2.7"



## ANF-01 ANF-02

### Power Side Noise Filter

- Use on DVD/VCP/Tuner with FM Modulator to Filter Radiated Noise
- Goes in Between Power Input Wire



## ANT-101

### Glass Mount TV Antenna



## ANT-102

### H Type TV Antenna



## ART-6 New

### Unified Remote Controller ART-6 will work on Most Myron & Davis TV's and DVD Players



## ANT-103

### TV Antenna Amplifier (Antenna sold separately)



## AIR-01

### IR Sensor for AMT-202



## ANT-107

### 14ft S-Video Cable



## BKT-070 BKT-104

### BKT-070: Mounting Bracket for Myron & Davis 6.8" and 7.0" Flip-Down Monitors

### BKT-104: Mounting Bracket for Myron & Davis 10.4" Flip-Down Monitors

#### Applications:

- Vehicles with Sunroofs
- Vehicles that do not require overhead consoles
- Vehicles with a flat mounting surface



## AHC1

### Headrest Monitor Glove

- Theft deterrent
- Made of soft, stretchable wet suit material
- Available in 3 colors

AHC1TN - TAN  
AHC1BK - BLACK  
AHC1GY - GRAY



## RCA CABLES

### Professional Series, Oxygen Free, Gold Plated RCA Cables


Part No.	Descriptions
ARY-01	1 ft. Y Adapter - 1 Female to 2 Males
ARY-02	1 ft. Y Adapter - 1 Male to 2 Females
ARC-01	1 ft. RCA Cable
ARC-03	3 ft. RCA Cable
ARC-06	6 ft. RCA Cable
ARC-12	12 ft. RCA Cable
ARC-17	17 ft. RCA Cable
ARV-13	13 ft. 75 Ohm Video RCA Cable



5.0"



6.0"



7.0" & 8.0" Wide Screen



## Customize Your Headrest Monitors with the Convenience Packages Below

### APK-50A

Includes (2) AMD-300 Wireless Headphones, (1) AD-163 DVD Player, (1) AGP-1 Game Port and (1) WHT-005 49MHz Wireless Transmitter



### APK-70A

Includes (2) AMD-350 Wireless Headphones, (1) AD-163 DVD Player, (1) AGP-1 Game Port and (1) ANT-109 Wireless FM Modulator



### APK-70AK Dual Sources

Includes (2) AMD-362 Wireless Headphones, (1) AD-163 DVD Player, (1) AGP-1 Game Port and (1) ADK-1 Dual-Source Kit



### APK-50B

Includes (2) AMD-300 Wireless Headphones, (1) AD-183 DVD player, (1) AGP-1 Game Port, (1) WHT-005 49MHz Wireless Transmitter and (1) ANT-101 Antenna



### APK-70B

Includes (2) AMD-350 Wireless Headphones, (1) AD-183 DVD Player, (1) AGP-1 Game Port, (1) ANT-101 Antenna and (1) ANT-109 Wireless FM Modulator



### APK-70BK Dual Sources

Includes (2) AMD-362 Wireless Headphones, (1) AD-183 DVD Player, (1) AGP-1 Game Port, (1) ADK-1 Dual-Source Kit and (1) ANT-101 Antenna



### APK-50C

Includes (2) AMD-300 Wireless Headphones, (1) AD-270 DVD Player, (1) AGP-1 Game Port and (1) WHT-005 49MHz Wireless Transmitter



### APK-70C

Includes (2) AMD-350 Wireless Headphones, (1) AD-270 DVD Player, (1) AGP-1 Game Port and (1) ANT-109 Wireless FM Modulator



### APK-70CK Dual Sources

Includes (2) AMD-362 Wireless Headphones, (1) AD-270 DVD Player, (1) AGP-1 Game Port, and (1) ADK-1 Dual-Source Kit



## **APK-068FB-A 6.8" Flip Down Monitor Package**



Includes(1) AXV-068-FB Surface Mount Flip Down Monitor, (1) AD-163 DVD Player, (2) AMD-350 IR Wireless Headphones and (1) AGP-1 Universal Game Port



## **APK-70FB-B 7.0" Wide Screen Flip Down Monitor Package**



Includes(1) AXV-070-FB Surface Mount Flip Down Monitor, (1) AD-183 DVD Player with built in TV Tuner, (2) AMD-350 IR Wireless Headphones and (1) AGP-1 Universal Game Port, and (1) ANT-101 Glass Mount TV Antenna



## **APK-80FB-A 8.0" Wide Screen Flip Down Monitor Package**



Includes(1) AXV-080-FB Surface Mount Flip Down Monitor, (1) AD-163 DVD Player, (2) AMD-350 IR Wireless Headphones and (1) AGP-1 Universal Game Port



## **APK-80FB-B 8.0" Wide Screen Flip Down Monitor Package**



Includes(1) AXV-080-FB Surface Mount Flip Down Monitor, (1) AD-183 DVD Player with built in TV Tuner, (2) AMD-350 IR Wireless Headphones, (1) AGP-1 Universal Game Port, and (1) ANT-101 Glass Mount TV Antenna



## **APK-104FB-B 10.4" Flip Down Monitor Package**



Includes(1) AXV-104-FB Surface Mount Flip Down Monitor, (1) AD-183 DVD Player with built in TV Tuner, (2) AMD-350 IR Wireless Headphones and (1) AGP-1 Universal Game Port, and (1) ANT-101 Glass Mount TV Antenna



# CRYSTAL CLEAR TFT LCD TV

## AT-15 15.1" LCD TV

- 15.1" TFT LCD Display
- Aspect Ratio 4:3
- Built-in TV Tuner
- Resolution: 1024 x 768 / 16.7M Colors
- Ultra High Brightness: 500 NITS
- High Contrast Ratio: 500:1
- Wide Viewing Angle: Horizontal/Vertical 140°/120°
- Composite Video / S-Video / VGA (1024 x 768) Inputs
- Audio Output
- Format: NTSC / PAL / SECAM
- Remote Control
- On Screen Display (OSD)
- Built-in Stereo Speakers
- Headphone Plug
- AC Power Adapter
- Low Power Consumption
- Wall Mount Kit Included
- Dimensions: 20.5" (W) x 12.5" (H) x 3.0" (D)
- Weight: 7.7 lbs.



## AT-20 20" LCD TV

- 20.1" TFT LCD Display
  - Aspect Ratio 4:3
  - Built-in TV Tuner
  - Resolution: 800 x 600 (RGB)
  - Ultra High Brightness: 500 NITS
  - High Contrast Ratio: 500:1
  - Wide Viewing Angle: Horizontal/Vertical 160°/120°
  - 2-Composite Video / 1-S-Video / \*1-VGA (1024 x 768) Inputs
  - Audio Output
  - Format: NTSC / PAL / SECAM
  - Remote Control
  - On Screen Display (OSD)
  - Built-in Stereo Speakers
  - Headphone Plug
  - AC Power Adapter
  - Low Power Consumption
  - Dimensions: 24.5" (W) x 16" (H) x 3.2" (D)
  - Weight: 18 lbs.
- \*VGA input available in May 2003



## AT-30 29.9" 16:9 Wide Screen LCD TV

- 29.9" TFT LCD Display
- 16:9 Aspect Ratio
- Built-in TV Tuner
- Resolution: 800 x 600 (RGB)
- Ultra High Brightness: 500 NITS
- High Contrast Ratio: 500:1
- Wide Viewing Angle: Horizontal/Vertical 160°/160°
- PIP with Programmable Size and Location
- Skin Color and Color Transient Enhancement (CTI)
- Support 4:3 & 16:9 Aspect Ratio Conversion
- 2-Composite Video / 1-S-Video / 1-RGB / 1-VGA (1024 x 768) Inputs
- 1-Audio/Video Output
- Format: NTSC / PAL / SECAM
- Remote Control
- On Screen Display (OSD)
- Built-in Stereo Speakers
- Headphone Plug
- AC Power Adapter
- Low Power Consumption



# PLASMA DISPLAY



## AP-42 42" Plasma Display

### Key Features:

- Display Area: Diagonal 42-inch Screen Size
- Aspect Ratio: 16:9 Wide
- Resolution: 852 x 480 RGB
- Color: 16.7 Million
- Viewing Angle: 160°
- Brightness: 630 cd/m<sup>2</sup>
- Contrast: 800:1
- Inputs: 1 S-Video, 2 Composite Videos, 1 Component Video, 1 VGA (D-Sub-15 Pins), 1 DVI

### Specifications:

- Video: Motion DSC Digital Processor  
Digital Motion De-interlacing  
Advanced Video Scaling  
Selectable Color Temperature Controls  
PIP (Picture in Picture)  
DVD Black Bar Removal  
4:3 Variable Aspect Ratio Controls  
3D Digital Comb Filter
- Resolution: 1280 x 1024 SXGA, 1366 x 768, 1024 x 768 XGA
- Compatibility: 852 x 480 VGA supported
- Signal System: Support NTSC, PAL, SECAM, DTV (480P), HDTV (1080i & 720P)
- Computer: Vertical Sync – 85 Hz  
Support VGA (640 x 480), SXGA (1280 x 1024) interlace or non-interlace signal.
- Frequency: 135 MHz
- OSD Menu: Brightness, Contrast Color, Tint, Sharpness, Color Temperature, Clock Phase, Screen Width, V-Size, Position, Zoom, Nonlinear Scaling, Channel Status, Gamma Correct, Picture Type Select.
- Audio Output: 7 Watt x 2 with Adjustable Volume Control  
2-Way Hi-Fi Stereo
- Power: 100V-240V AC, 50Hz – 60Hz, 380 Watts
- Warranty: One Year
- Optional : TV / CATV Tuner Module, Speakers, Wall Mount
- Dimensions: 41.3" x 25" x 3.4"



**Toll Free: 866.335.6789 Headquarters: 909.796.3199 Fax: 909.799.7300**  
**1425 Cooley Ct. San Bernardino CA 92408 web site: [www.myronanddavis.com](http://www.myronanddavis.com)**